

Table 1 - Radiant Gold Assay Results

Hole ID	East	North	Depth from (m)	Depth to (m)	Interval (m)	Au (g/t)	Comments
RLKD001	90271	-2899801	74.8	76.3	1.5	1.18	
			76.8	77.3	0.5	1.96	
			83.3	84.3	1	2.16	
			85.8	86.8	1	1.36	
			91.3	92.3	1	1.35	
			116.3	117.3	1	1.22	
			145.02	146.02	1	2.02	
RLKD002	90201	-2899961	111.7	112.2	0.5	2.28	
			131.7	132.7	1	1.11	
			200.2	201.2	1	1.77	
			207.2	208.7	1.5	2.15	
			209.7	210.7	1	2.68	Incl. 0.5m@ 4.32g/t Au from 210.2m
			213.2	215.7	2.5	1.39	
			216.2	216.7	0.5	1.14	
			218.2	218.7	0.5	1.48	
			236.7	237.7	1	1.69	
			240.2	240.7	0.5	1.01	
			253.7	254.7	1	1.76	
			261.2	261.7	0.5	2.1	
			265.7	266.7	1	1.08	
RLKD003	90421	-2899908	96.67	97.67	1	1.34	
			106.17	106.67	0.5	1.89	
			108.67	109.17	0.5	4.6	
			111.17	112.17	1	1.07	
			115.17	115.67	0.5	1.38	
RLKD004	90625	-2899989	82.05	83.05	1	1.79	
			88.55	89.55	1	1.26	
			91.05	91.55	0.5	1.03	
			92.55	93.05	0.5	1.05	
			113.55	115.05	1.5	1.02	
			177.55	178.05	0.5	1.03	
			184.05	184.55	0.5	4.76	
RLKD005	90541	-2900120	202.94	203.94	1	2.43	

Table 1 - Radiant Gold Assay Results continued

Hole ID	East	North	Depth from (m)	Depth to (m)	Interval (m)	Au (g/t)	Comments			
RLKD005	90541	-2900120	209.94	210.44	0.5	1.84				
			211.44	212.94	1.5	1.71				
			216.44	217.44	1	1.94				
RLKD006	90793	-2900069	97.12	97.62	0.5	2.3				
			107.12	108.62	1.5	1.91				
			109.62	110.12	0.5	2.25				
			111.12	111.62	0.5	1.66				
			116.12	116.62	0.5	2.58				
			139.62	140.12	0.5	1.52				
			155.12	156.12	1	1.25				
RLKD007	90969	-2900225	150.32	153.32	3	2.31	Incl. 0.5m @ 4.83g/t Au from 151.32m			
			155.32	156.32	1	2.13				
			161.32	162.32	1	1.33				
			218.82	219.32	0.5	1.97				
			250.32	251.32	1	1.43				
			RLKD008	90985	-2900092	43.64	44.64	1	1.16	
						55.14	56.64	1.5	3.27	
			67.64	68.64	1	1.25				
			80.14	80.64	0.5	3.16				
			88.64	89.14	0.5	2.01				
			135.64	136.14	0.5	4.25				
RLKD009	90100	-2899675	78.85	79.35	0.5	2.31				
			80.35	81.35	1	1.33				
			86.85	87.85	1	3.44				
			91.35	91.85	0.5	1.29				
			92.85	93.85	1	1.06				
			139.85	140.85	1	1.77				
RLKD010	89951	-2899593	143.85	144.85	1	1.23				
			54.48	55.98	1.5	2.22				
			102.98	103.98	1	5.12				
			110.98	111.48	0.5	3.28				

Table 1 - Radiant Gold Assay Results continued

Hole ID	East	North	Depth from (m)	Depth to (m)	Interval (m)	Au (g/t)	Comments
RLKD011	90443	-2899850	52.83	55.33	2.5	1.13	
			66.33	66.83	0.5	1.23	
			73.83	74.33	0.5	1.05	
RLKD012	90886	-2900055	68.65	69.15	0.5	1.44	
			77.65	81.65	4	3.55	Incl. 1m @ 8.28 g/t Au from 77.65m
			85.15	85.65	0.5	1.31	
			108.65	109.15	0.5	1.76	
			131.65	132.65	1	1	
			149.65	150.65	1	1.2	
RLKPD013	90776	-2900138	154.97	155.47	0.5	4.63	
			164.97	166.47	1.5	1.51	
			167.47	168.97	1.5	2.73	
			170.47	170.97	0.5	1.49	
RLKPD014	90672	-2900051	21	22	1	1.48	
			33	34	1	0.6	
			112.47	112.97	0.5	2.29	
			122.97	125.47	2.5	1.74	
			126.47	126.97	0.5	1.17	
			128.97	129.47	0.5	2.09	
RLKD015	90557	-2899910	199.97	200.97	1	2.3	
			61.45	62.95	1.5	1.3	
			63.95	64.95	1	3.08	incl. 0.5m @ 5.1 g/t Au from 63.95m
			64.45	64.95	0.5	1.06	
			68.45	68.95	0.5	2.01	
RLKPD016	90324	-2899912	115.45	115.95	0.5	8.25	
			127.44	128.44	1	2.53	
			139.94	140.94	1	2.81	
			144.44	144.94	0.5	2.21	
RLKPD017	90588	-2900046	194.94	195.44	0.5	1.39	
			129.56	130.06	0.5	1.31	
			138.06	141.06	3	3.02	incl. 1 m @ 6.15 g/t Au from 138.06m
			141.56	143.06	1.5	1.12	

Table 1 - Radiant Gold Assay Results continued

Hole ID	East	North	Depth from (m)	Depth to (m)	Interval (m)	Au (g/t)	Comments
RLKPD018	90447	-2900025	84.88	85.88	1	1.09	
			165.88	166.38	0.5	2.38	
			174.38	175.38	1	1.72	
			177.38	178.38	1	8.25	incl. 0.5m @ 15.65 g/t Au from 177.38m
			180.38	180.88	0.5	2.69	
			203.38	204.38	1	1.1	
RLKPD019	90833	-2900174	226.38	227.38	1	1.03	
			56	58	2	1.12	
			166.87	169.87	3	1.91	
			170.87	171.87	1	1.97	
			176.87	177.37	0.5	1.65	
			179.37	180.37	1	1.22	
RLKPD020	90225	-2899950	226.37	226.87	0.5	1.42	
			229.87	230.37	0.5	2.72	
			268.37	270.37	2	4.06	incl. 0.5m @ 11.42 g/t Au from 269.37m
			278.37	280.37	2	3.58	incl.1 m @ 5.48 g/t Au from 279.37m
			286.37	286.87	0.5	2.45	
			319.87	321.87	2	1.02	
			325.87	326.87	1	1.36	
			335.87	336.37	0.5	1.27	
RLKPD021	90250	-2899900	343.37	343.87	0.5	1.03	
			350.37	350.87	0.5	2.07	
			89	90	1	1.02	
			226.85	228.35	1.5	3.02	incl. 0.5 m @ 7.56 g/t Au from 227.85m
			239.35	243.85	4.5	2.91	Incl. 1m @ 4.73 g/t Au from 241.85m
			247.85	248.35	0.5	1.74	
			250.35	250.85	0.5	1.47	
			251.35	251.85	0.5	1.1	
			290.85	291.85	1	1.76	
			309.85	310.35	0.5	1.07	
			310.85	311.35	0.5	1.17	
			325.35	325.85	0.5	1.35	

Table 1 - Radiant Gold Assay Results continued

Hole ID	East	North	Depth from (m)	Depth to (m)	Interval (m)	Au (g/t)	Comments
RLKP001	90283	-2899801	73	77	4	0.67	
			83	84	1	1.59	
			84	85	1	0.55	
			91	92	2	1.01	
			92	93	1	1.3	
			94	95	1	0.93	
			113	116	3	0.67	
			118	119	1	0.89	
			127	128	1	0.8	
			132	135	3	0.68	
			156	157	1	0.66	
RLKP002	90202	-2899968	113	115	2	1.01	
RLKP003	90410	-2899902	98	99	1	2.17	
			109	111	2	0.94	
			113	114	1	1.13	

Note:

Mineralised intervals calculated using a 0.5 g/t Au cutoff

No high grade cutoff figure used

Intercepts are not true widths

All RC samples are collected at 0.5m intervals and assayed using 50g fire assay

Gold assays are performed by ALS Chemex using conventional fire assay procedures with atomic absorption spectroscopic ("AAS") finish. A Quality Assurance / Quality Control ("QA/QC") program forms part of the drilling, sampling and assay program on the West Wits project. This program includes chain of custody protocol as well as systematic submittal of certified reference materials, duplicates and blank samples into the flow of samples produced by the drilling.