

Table 1: Raptor 2 Uranium Assay Results

Hole ID	From	To	Intercept	U (ppm)	U (kg/tonne)	U3O8 (kg/ton)	Comments
BD001	81.19	81.79	0.6	248.35	0.25	0.29	Includes 0.30m @ 0.43kg/t U3O8
	89.93	90.39	0.46	134.8	0.13	0.16	
	93.39	93.74	0.35	160.88	0.16	0.19	
	102.68	102.9	0.22	443.05	0.44	0.52	
	125.14	126.08	0.94	99.41	0.1	0.12	
	126.22	126.46	0.24	111.24	0.11	0.13	Includes 0.22m @ 0.21kg/t U3O8
BD002	223.92	224.22	0.3	168.87	0.17	0.2	
	236.91	237.59	0.68	198.67	0.2	0.23	
	238.32	238.57	0.25	497.11	0.5	0.59	
	240.19	240.34	0.15	1044.3	1.04	1.23	
	254.47	254.67	0.2	228.97	0.23	0.27	
BD003	37.74	37.91	0.17	108.44	0.17	0.13	
BD004	84.02	84.92	0.9	139.77	0.14	0.16	
	93.66	93.78	0.12	215.99	0.22	0.25	
	99.86	100.1	0.24	495.68	0.5	0.58	
	116.12	117.8	1.68	149.45	0.15	0.18	
	143.5	143.83	0.33	197.04	0.2	0.23	Includes 0.26m @ 0.87kg/t U3O8
BD005	68.56	69.08	0.52	117	0.52	0.14	
	89.67	90.84	1.17	117.74	1.17	0.14	
	97.26	99.33	2.07	378.63	2.07	0.45	Includes 0.17m @ 0.64kg/t U3O8
	106.45	106.63	0.18	1215	0.18	1.43	Includes 0.22m @ 2.88kg/t U3O8
BD006	262.27	263.41	1.14	112.07	0.11	0.13	
	272.7	272.95	0.25	227.19	0.23	0.27	
	274.36	274.66	0.3	223.39	0.22	0.26	
	281.24	281.8	0.56	171.98	0.17	0.2	
	284.39	285.36	0.97	217.13	0.22	0.26	
	300.1	300.92	0.82	281.87	0.28	0.33	
	302.21	302.75	0.54	231.05	0.23	0.27	Includes 0.34m @ 0.46kg/t U3O8
	311.5	312.52	1.02	207.44	0.21	0.24	Includes 0.32m @ 0.49kg/t U3O8
BD007	92.78	92.98	0.2	150.44	0.15	0.18	Includes 0.27m @ 0.40kg/t U3O8
	102.12	103.46	1.34	102.01	0.1	0.12	
	107.43	108	0.57	165.53	0.17	0.2	
	109.29	109.98	0.69	125.07	0.13	0.15	
	133.54	134.24	0.7	448.74	0.45	0.53	

Table 1: Raptor 2 Uranium Assay Results continued

Hole ID	From	To	Intercept	U (ppm)	U (kg/tonne)	U3O8 (kg/ton)	Comments
BD008	198.99	199.24	0.25	270.27	0.25	0.32	
	203	203.2	0.2	379.77	0.2	0.45	Includes 0.20m @ 0.73kg/t U3O8
	221.12	223.09	1.97	126.1	1.97	0.15	
	236.29	236.89	0.6	200.37	0.6	0.24	
	252.23	253.88	1.65	298.47	1.18	0.35	
BD009	115.06	115.34	0.28	584.74	0.28	0.69	
	140.57	141.57	1	271.04	1	0.32	Includes 0.6m @ 0.48kg/t U3O8
	150.2	150.92	0.72	524.95	0.72	0.62	
	169.29	169.84	0.55	195.18	0.55	0.23	Includes 0.3m @ 0.8kg/t U3O8
BD010	220.65	220.87	0.22	181.51	0.22	0.21	Includes 0.5m @ 0.8kg/t U3O8
BPD011	271.57	271.94	0.37	169	0.37	0.2	
	273.92	277.19	3.27	115.11	3.27	0.14	
	281.47	281.95	0.48	324	0.48	0.38	
	282.62	283.02	0.4	193	0.4	0.23	Includes 1.5m @ 0.23kg/t U3O8
	284.47	285.47	1	154	1	0.18	
BPD015	309.3	309.8	0.5	279	0.5	0.33	
	393.35	393.72	0.37	127.46	0.37	0.15	
	409.75	411.48	1.73	91.35	1.73	0.11	
	422.07	424.64	2.57	188.38	2.57	0.22	
BPD016	432.84	433.84	1	430.79	1	0.51	
	322.93	324.03	1.1	239.18	1.1	0.28	Includes 0.29m @ 0.78kg/t U3O8
	334.08	334.58	0.5	335.19	0.5	0.4	
	343.24	343.61	0.37	537.65	0.37	0.63	Includes 0.5m @ 0.43kg/t U3O8

Note:

Mineralised intervals calculated using a 100ppm U cutoff

No high grade cutoff figure used

Intercepts are not true widths

Uranium assays were performed by Genalysis Laboratory Services Pty Ltd (a NATA registered laboratory) in Perth, by four-acid digest with inductively coupled plasma mass spectroscopic ("ICP-MS") finish. Gold assays were performed by Genalysis using conventional fire assay procedures with atomic absorption spectroscopic ("AAS") finish. A Quality Assurance/Quality Control ("QA/QC") program forms part of the drilling, sampling and assay program on the West Wits project. This program included chain of custody protocol as well as systematic submittal of certified reference materials, duplicates and blank samples into the flow of samples produced by the drilling.